

Learning Collaborative: List of Citations.

Michael Kozart

American Academy of Family Physicians (2016). Mental health services by family physicians. Position Paper. Leawood, KS.

Arendt, R., et al. (1987). Determinants of benzodiazepine brain uptake: lipophilicity versus binding affinity.

Connolly, K., Thase, M. (2011). The clinical management of bipolar disorder: A review of evidence based guidelines. The Primary Care Companion for CNS Disorders 13, online.

DeRubeis, R., et al. (2005). Cognitive therapy vs. medication in the treatment of moderate to severe depression. Archives of General Psychiatry 62: 409-416.

Fournier, J., et al (2010). Antidepressant drug effects and depression severity: a patient-level meta-analysis. JAMA 303: 47-53.

Griffin, C., et al. (2013). Benzodiazepine pharmacology and central nervous system-mediated effects. The Ochsner Journal 13, 214-223.

Judd, L.L, Paulus, M.P., Wells, K.B., et al (1996). Socio-economic burden of sub-syndromal depressive symptoms and major depression in a sample of the general population. American Journal of Psychiatry, 153, 1411-1417.

Kirsch, I., et al (2008). Initial severity and antidepressant benefits: a meta-analysis of data submitted to Food and Drug Administration PLoS Medicine 5, e45.

Khin N., et al (2011). Exploratory analyses of efficacy data from major depressive disorder trials submitted to the US Food and Drug administration in support of new drug applications, Journal of Clinical Psychiatry 72(4), 464-472.

Kung, S., et al. (2013). Treatment of nightmares with prazosin: A systematic review. *Mayo Clinic Proceedings* 87: 890-900.

Kupfer, D., (2013). DSM-5: A diagnostic guide relevant to both primary care and psychiatric practice. *American Family Physician* 88(8), online.

Leucht, S., et al. (2013). Comparative efficacy and tolerability of 15 antipsychotic drugs in schizophrenia: a multiple-treatments meta-analysis. *Lancet* 382: 951-962.

Miller, B., et al. (2011). The role of family physicians in mental health care delivery in the United States: Implications for health reform. *Journal of the American Board of Family Medicine* 26: 111-113.

MTA Cooperative Group, 1999. A 14-month randomized clinical trial of treatment strategies for Attention-Deficity/Hyperactivity Disorder 56: 1073-1086.

Nauert, R., (2010). Primary care psychotherapy is effective. Psychcentral.com/news/2010/06/28.

Nieuwsma, J., et al (2012). Brief psychotherapy for depression: a systematic review and meta-anlaysis. *International Journal of Psychiatry* 43(2), 129-151.

Orlowska, D. (2016). 10-Minute CBT in primary care: a brief introduction: online.

Robinson, D., et al (2005). Depression treatment in primary care. *Journal of American Board of Family Medicine* 2(79): 79-86.

Shah, P., et al (2007). The medical model is dead—long live the medical model. *The British Journal of Psychiatry*, 191: 375-377.

Spielman, C., et al (2013). Adjunctive atypical antipsychotic treatment for major depressive disorder: a meta-analysis of depression, quality of life, and safety outcomes. *PLoS* 10(3): online.

Stuart, M., Lieberman, J. (2008/2015). *The fifteen minute hour: Therapeutic talk in primary care*, 4th Edition. Radcliffe Publishing, Oxford, UK.

Tesar, G, et al (2010). Behavioral assessment of the general medical patient. Cleveland Clinic, Center for Continuing Education, Lyndhurst, OH, online.

Thase, M., et al (1997). Treatment of major depression with psychotherapy or psychotherapy-pharmacotherapy combinations. *Archives of General Psychiatry*, 54: 1009-1015.

Thompson, C., Ostler, K., et al (2001). Dimensional perspectives on the recognition of depressive symptoms in primary care. *British Journal of Psychiatry*, 179, 317-323.

Unutzer, J, et al (2013). The collaborative care model: an approach for integrating physical and mental health care in Medicaid health homes. Centers for Medicare and Medicaid Services.

Vancouver Coastal Health Alliance, VHFormulary Tools, Comparison of Benzodiazepines: online.

Van deer Oord, S. et al (2007). Efficacy of methylphenidate, psychosocial treatments and their combination in school-aged children with ADHD: A meta-analysis.

Volkow, N., Swanson, J. (2008). Does childhood treatment of ADHD with stimulant medication affect substance abuse in adulthood? *American Journal of Psychiatry* 165, 553-555.

Whitney, K, et al (2010). Dimensional versus categorical use of the PHQ-9 Depression Scale among persons with non-small cell lung cancer: A pilot study including quality-of-life comparisons. *Journal of Supportive Oncology*, 8, 219-226.

Williams, J, et al (1999). Primary care physicians' approach to depressive disorders. *Archives of Family Medicine*, 8, 58-67.

Wisniewski, A., et al (2009). Can Phase III trial results of antidepressant medications be generalized to clinical practice? A STAR* D report. *The American Journal of Psychiatry* 166(5), 599-607.

